UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/660,581	09/12/2003	Hiroshi Iida	117158	5273	
25944 OLIFF & BER	7590 12/06/2007 RIDGE PLC	EXAMINER SMITH, GARRETT A			
P.O. BOX 3208	350				
ALEXANDRIA, VA 22320-4850			ART UNIT	PAPER NUMBER	
			2168		
			MAIL DATE	DELIVERY MODE	
			12/06/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

1	Af .

			Application N	o	Applicant(s)			
. Office Action Summary			10/660,581		IIDA, HIROSHI			
		Π	Examiner		Art Unit			
			Garrett A. Smit		2168	_		
Period fo	The MAILING DATE of this commu or Reply	nication appe	ars on the cov	er sheet with the c	orrespondence ad	ddress		
WHIC - Exter after - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR HEVER IS LONGER, FROM THE Ansions of time may be available under the provision. SIX (6) MONTHS from the mailing date of this comported for reply is specified above, the maximum set to reply within the set or extended period for reply received by the Office later than three months and patent term adjustment. See 37 CFR 1.704(b).	MAILING DAT s of 37 CFR 1.136( munication. tatutory period will v will. by statute, ca	(a). In no event, ho apply and will expi	COMMUNICATION wever, may a reply be tim re SIX (6) MONTHS from to to become ABANDONE	l. ely filed he mailing date of this o O (35 U.S.C. § 133).			
Status								
1)[X]	Responsive to communication(s) fil	ed on 11 Sec	otember 2007		•			
•	•		ction is non-fi					
, —		· —			secution as to the	e merits is		
٥,۵	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
	·		,					
Disposit	ion of Claims	•						
4) 🖾	Claim(s) $\underline{1-17}$ is/are pending in the	application.		•	•			
4a) Of the above claim(s) is/are withdrawn from consideration.								
5) Claim(s) is/are allowed.								
6)⊠	Claim(s) <u>1-17</u> is/are rejected.							
7)	Claim(s) is/are objected to.							
8)[	Claim(s) are subject to restri	iction and/or	election requi	rement.				
Applicat	ion Papers							
9)☐ The specification is objected to by the Examiner.								
10)⊠ The drawing(s) filed on <u>11 September 2007</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.								
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).								
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).								
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.								
Priority (	under 35 U.S.C. § 119	·						
12)	Acknowledgment is made of a claim	n for foreian p	riority under 3	35 U.S.C. § 119(a)	-(d) or (f).			
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:								
,	1. Certified copies of the priority documents have been received.							
2. Certified copies of the priority documents have been received in Application No								
3. Copies of the certified copies of the priority documents have been received in this National Stage								
application from the International Bureau (PCT Rule 17.2(a)).								
* See the attached detailed Office action for a list of the certified copies not received.								
						M RIMELL Y EXAMINER		
Attachment(s)  1) Notice of References Cited (PTO-892)  4) Interview Summary (PTO-413)								
	e of References Cited (PTO-692) e of Draftsperson's Patent Drawing Review (	PTO-948)		Paper No(s)/Mail Da	te			
3) Information Disclosure Statement(s) (PTO/SB/08)  5) Notice of Informal Patent Application								
Pape	r No(s)/Mail Date		6) L					

Art Unit: 2168

### **DETAILED ACTION**

1. This Office action is regarding Applicant's response filed 11 September 2007 to a prior Office action. Claims 1 – 17 are pending. Claims 1 – 4 and 7 – 17 are amended.

# Specification and Drawings

The Examiner notes the corrections to the Specification and Drawings.
 Therefore, the objections to the Specification and Drawings are <u>withdrawn</u>.

# Response to Arguments

# 35 USC 112 2<sup>nd</sup> Paragraph

3. Applicant's arguments (page 11) and amendments, filed 11 September 2007, regarding the rejection under 35 USC 112 2<sup>nd</sup> Paragraph of claims 1 – 17 have been fully considered and are persuasive. For these reasons, the rejection under 35 USC 112 2<sup>nd</sup> Paragraph of claims 1 – 17 is <u>withdrawn</u>.

# 35 USC 102(b)

4. Applicant's arguments (page 11) and amendments, filed 11 September 2007, regarding the rejection under 35 USC 102(b) of claims 1 – 17 have been fully considered and are persuasive. For these reasons, the rejection under 35 USC 102(b) of claim 1 – 17 is <u>withdrawn</u>.

Art Unit: 2168

#### **Examiner's Remarks**

5. The Examiner notes the amendments to claims 1 – 4 and 7 – 17. It appears Applicant has amended the claims to an invention that reads on a combination of a Hypertext form generator and a client computer/system/device with a hypertext viewer or browser (see rejection below). This is remarkably different then Applicant's Figure 3 and Figure 5, which depict a document management/flow system. The document management system appears to allow users to construct a flow of documents and setup conditions for various processing of documents (such as sending them to an OCR utility, email system, storage system, etc). However, as these limitations are not in the instant claims, it cannot be treated.

### Claim Rejections - 35 USC § 103

- 6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 7. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to

Art Unit: 2168

consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

- 8. Claims 1 17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Fogarasi et al (US Patent 6,128,619; patented 3 October 2000) in view of Johnson et al (US Patent 5,813,009, patented 22 September 1998).
- 9. In regard to **claim 1**, Fogarasi et al teaches:

An instruction form creation server that creates an instruction form that instructs various processes to be executed on document data (col 5, lines 33 – 40; Hypertext forms are created by the class definition tool);

A plurality of service processors (*note: this is interpreted as multiple clients*) that execute the various processes on the document data in cooperation based on the instruction form (*col 5, lines 33 – 40; web browsers*), each service processor of the service processors comprising:

A process part which obtains source data to be processed and executes a process on the source data based on the instruction form to generate processed data (col 5, lines 33 – 40; web browsers display the source information from the database);

A storage part which stores the source data in relation to identifying information that identifies the process instructed in the instruction form (each of clients stores at least temporarily source data used in the displaying process).

Fogarasi et al does not explicitly teach retention flags used by a control part.

However, Johnson et al teaches a control part which controls the storage part based on

Art Unit: 2168

setting information in the instruction form which presets whether the source data should be stored or not (*col 11*, *lines 29 – 40*; *the information filter sets retention flags*). It would have been obvious to a person of ordinary skill in the art at the time of invention to use the retention flags of Johnson et al with the system of Fogarasi et al because various data may be updated data that must be returned to the database while other data may only be extraneous.

- 10. In regard to **claim 2**, Johnson et al further teaches the storage part further stores individual identifying information that is unique to the service processor and identifies the process which is performed by the service processor (*col 10*, *lines 26 30*; *the filter maintains information about the device the data came from*).
- 11. In regard to **claim 3**, Johnson et al further teaches the storage part stores the source data, which is encrypted depending on a predetermined setting of encryption (col 20, lines 43 44; encryption is optional).
- 12. In regard to **claim 4**, Fogarasi et al further teaches a storage device which stores the source data stored in the storage part (each of clients stores at least temporarily source data used in the displaying process).
- 13. In regard to **claim 5**, Johnson et al further teaches the storage device obtains and stores the source data in relation to the identifying information stored in the storage part of the service processor at a predetermined threshold value or a predetermined timing (col 11, lines 47 48; the Special Handling module has a specified retention period for data within).

Art Unit: 2168

14. In regard to **claim 6**, Johnson et al further teaches the storage device stores differential information before and after the various processes as the source data among service processors (col 12, lines 16 – 19; record data is stored about information

#### 15. In regard to **claim 7**, Fogarasi et al teaches:

"before" and "after" information is sent to the ILM database).

Creating an instruction form that instructs various processes to be executed on document data by plural service processors in cooperation (col 5, lines 33 – 40;

Hypertext forms are created by the class definition tool)

Executing the processes on source data with the service processors connected to a network to generate processed data, based on the instruction form (col 5, lines 33 – 40; web browsers display the source information from the database); and

Storing the source data in a predetermined storage area in relation to identifying information that identifies one of the processes instructed in the instruction form based on setting information in the instruction form.

Fogarasi et al does not explicitly teach retention flags used by a control part. However, Johnson et al teaches a control part which controls the storage part based on setting information in the instruction form which presets whether the source data should be stored or not (col 11, lines 29 – 40; the information filter sets retention flags). It would have been obvious to a person of ordinary skill in the art at the time of invention to use the retention flags of Johnson et al with the system of Fogarasi et al because various data may be updated data that must be returned to the database while other data may only be extraneous.

Art Unit: 2168

16. In regard to **claim 8**, Johnson et al further teaches the storage part further stores individual identifying information that is unique to the service processor and identifies the process which is performed by the service processor (*col 10*, *lines 26 – 30*; *the filter maintains information about the device the data came from*).

- 17. In regard to **claim 9**, Johnson et al further teaches the source data is encrypted depending on a setting of encryption included in the instruction form and is then stored in the storage area (*col 20*, *lines 43 44*; *encryption is optional*).
- 18. In regard to **claim 10**, Johnson et al and Fogarasi et al further teaches the storage area is the service processor (*Johnson et al: Information Filter (fig 1A); Fogarasi et al: each of clients stores at least temporarily source data used in the displaying process*).
- 19. In regard to **claim 11**, Johnson et al further teaches the storage area is the storage device connected to the network (*ILM database (fig 1B)*).
- 20. In regard to **claim 12**, Johnson et al further teaches the source data to be stored stores differential information before and after the processes as the source data among the service processors (col 12, lines 16 19; record data is stored about information "before" and "after" information is sent to the ILM database).

#### 21. In regard to **claim 13**, Fogarasi et al teaches

A process part which obtains source data to be processed and executes a process on the source data based on the instruction form to generate processed data (col 5, lines 33 – 40; web browsers display the source information from the database Hypertext forms are created by the class definition tool);

Art Unit: 2168

A storage part which stores the source data in relation to identifying information that identifies the process instructed in the instruction form (each of clients stores at least temporarily source data used in the displaying process).

Fogarasi et al does not explicitly teach retention flags used by a control part. However, Johnson et al teaches a control part which controls the storage part based on setting information in the instruction form which presets whether the source data should be stored or not (col 11, lines 29 – 40; the information filter sets retention flags). It would have been obvious to a person of ordinary skill in the art at the time of invention to use the retention flags of Johnson et al with the system of Fogarasi et al because various data may be updated data that must be returned to the database while other data may only be extraneous.

#### 22. In regard to **claim 14**, Fogarasi et al teaches

A processor provided to a service domain, the processor obtaining source data and executing processes on the source data to generate processed data, based on an instruction form that instructs various processes to be executed on document data (col 5, lines 33 – 40; web browsers display the source information from the database Hypertext forms are created by the class definition tool);

A storage provided to a service domain, the storage storing the source data to be processed at the service domain with data from the instruction form for defining the processes instructed in the instruction form (each of clients stores at least temporarily source data used in the displaying process).

Application/Control Number: 10/660,581 Page 9

Art Unit: 2168

Fogarasi et al does not explicitly teach retention flags used by a control part. However, Johnson et al teaches a control part which controls the storage part based on setting information in the instruction form which presets whether the source data should be stored or not (col 11, lines 29 – 40; the information filter sets retention flags). It would have been obvious to a person of ordinary skill in the art at the time of invention to use the retention flags of Johnson et al with the system of Fogarasi et al because various data may be updated data that must be returned to the database while other data may only be extraneous.

- 23. In regard to **claim 15**, Johnson et al further teaches the storage stores the source data with a self-identifying data for identifying process to be executed at the service domain (*col 11*, *lines 29 40*; data is stored to identify a service to be performed *later*).
- 24. In regard to **claim 16**, Johnson et al further teaches the preset data includes an encrypting setting (*col 20, lines 43 44; encryption is optional*).
- 25. In regard to **claim 17**, Johnson et al further teaches a main storage that stores the source data stored in the storage (*Special Handing module (22*), *Information Filter* (fig 1A) and ILM database (fig 1C)).

Art Unit: 2168

#### Conclusion

26. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

- 27. The Examiner requests, in response to this Office action, that support be shown for language added to any original claims on amendment and any new claims. That is, indicate support for newly added claim language by specifically pointing to page(s) and line no(s) in the specification and/or drawing figure(s). This will assist the Examiner in prosecuting the application.
- 28. When responding to this Office action, Applicant is advised to clearly point out the patentable novelty which he or she thinks the claims present, in view of the state of the art disclosed by the references cited or the objections made. He or she must also show how the amendments avoid such references or objections See 37 CFR 1.111(c).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Garrett A. Smith whose telephone number is (571) 270-

Art Unit: 2168

1764. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor. Tim T. Vo can be reached on (571) 272-3642. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

November 27, 2007

Garrett Smith Patent Examiner Art Unit 2168